




We
Work
for
your health.



***We
work
for your health...***



DISPOSABLE

Personal and Sectoral

Self-care / Hygiene Products



Table of Contents

About Us	5
Protective Clothing Gowns	7-12
Smock Laminated	14
PE Apron	16
Protective Clothing Coveralls	18-20
Overalls and Gown Sizes	21
Scrub Suits	23-24
Face Masks	26-30
Heatwear	32-33
Sleeve Covers	35
Footwear	37
Disposable Bed Sheet	39-40
Disposable Gloves	42
Syringes	44
Face Shield	46
Antigen Test	49
Emergency Blanket	51
Contact Us	52



ABOUT US

ALM Medical Products was established in Istanbul in 2006. The head office of our company is located in Istanbul. Since its establishment, the company has been continuing to provide quality, reliable and honest service.

ALM Medical Products continues to serve the Turkish and global health industry by developing its product portfolio in the areas of personal protective equipments and hygiene products, and by continuously updating this structure, the company can instantly respond to the changing demands of the market.

Chairman of The Board,
Maya Mahiye BAŞ



A photograph of three surgeons in an operating room. They are all wearing blue surgical gowns, blue bouffant caps, and blue surgical masks. The surgeon on the left is gesturing with their hands while speaking. The surgeon in the middle is looking towards the other two. The surgeon on the right is seen from the back, also in a blue gown. They are standing around a patient who is covered with a blue drape. In the background, there is a large surgical light fixture with multiple circular lamps. The overall scene is brightly lit, typical of an operating room environment.

Protective Clothing Gowns

DISPOSABLE GOWN SS 7370

DESCRIPTION

Minimal risk.
To be used for during
basic care, standard
isolation, cover gown
for visitors, or in a
standard medical unit.

PROPERTIES

- Made of SS fabric.
- FDA registered.
- Carried Standard:
EN ISO 13688:2013 - EN 13034:2005+A1:2009
EN 14126:2003 - EN 13795-1:2019
- 30-40 gsm.
- Disposable.
- Non- sterile (upon request, also available as sterile).
- Upon request ultrasonic sewing on the sleeves.
- Medical folding.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced



**AAMI
LEVEL
1**

SURGICAL GOWN SMS 7380

DESCRIPTION

Low risk
To be used for during
blood draw, suturing,
in the Intensive
Care Unit (ICU), or a
pathology lab.

PROPERTIES

- Made of SMS fabric.
- FDA registered.
- Carried Standard:
EN ISO 13688:2013 - EN 13034:2005+A1:2009
EN 14126:2003 - EN 13795-1:2019
- 40-60 gsm.
- Disposable.
- Non-sterile (upon request, also available as sterile).
- Upon request ultrasonic sewing on the sleeves is available.
- Medical folding.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced.



**AAMI
LEVEL
2**

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	10 - 11 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	11 - 12 Kg



SURGICAL GOWN SMMS 7382

DESCRIPTION

Low risk
To be used for during
blood draw, suturing, in the
Intensive
Care Unit (ICU), or a
pathology lab.

PROPERTIES

- Made of SMMS fabric.
- FDA registered.
- Carried Standard:
EN ISO 13688:2013 - EN 13034:2005+A1:2009
EN 14126:2003 - EN 13795-1:2019
- 40-60 gsm.
- Disposable.
- Non-sterile (upon request, also available as sterile).
- Upon request ultrasonic sewing on the sleeves is available.
- Medical folding.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	11 - 12 Kg



**AAMI
LEVEL
2**

VISITOR PROTECT GOWN VG 7420

DESCRIPTION

Produced 20 gr/m² - 30 gr/m²
SS fabric Disposable,
breathable, elastic cuff,
waist laced, velcro tape
on collar.
Velcro Tape
Velcro tape prevents opening
of the collar.
Four-Laced-Belt
Four-laced belt system insures
secure fit.
Ribbed Cuff.
Elastic rib insert at cuff maximizes fit and protection.

PROPERTIES

- Made of SS fabric.
- FDA registered.
- Carried Standard:
EN ISO 13688:2013 - EN 13034:2005+A1:2009
EN 14126:2003 - EN 13795-1:2019
- 30 gsm - 40 gsm.
- Disposable.
- Non-sterile.
- Medical folding.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	10 - 11 Kg



**AAMI
LEVEL
1**



SURGICAL GOWN SML 7390

DESCRIPTION

Moderate risk.
To be used for during
arterial blood draw,
inserting an Intravenous
(IV) line, in the Emergency
Room, or for trauma cases.

PROPERTIES

- Made of SMS fabric with lamination.
- FDA 510(k) cleared.
- Carried Standard:
EN ISO 13688:2013 - EN 13034:2005+A1:2009
EN 14126:2003 - EN 13795-1:2019
- 40 gsm + 20 gsm polyester film.
- Disposable.
- Sterile (upon request, also available as non-sterile).
- Ultrasonic sewing on the sleeves.
- Surgical folding.
- Reinforcement completely up to the shoulders and the front side is completely up to the arms.
- Alcohol, blood and liquid proof.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced.
- Tape lines over the sewings.



**AAMI
LEVEL
3**

SURGICAL GOWN LSG 7400

DESCRIPTION

High risk.
To be used for during long,
fluid intense procedures,
surgery, when pathogen
resistance is needed or
infectious diseases are
suspected (non-airborne).

PROPERTIES

- Made of SMS fabric with lamination.
- FDA 510(k) cleared.
- Carried Standard:
EN ISO 13688:2013 - EN 13034:2005+A1:2009
EN 14126:2003 - EN 13795-1:2019
- 65 gsm PP+PE.
- Sterile.
- Ultrasonic sewing on the sleeves.
- Surgical folding.
- Fully reinforced on the inner side.
- Alcohol, blood and liquid proof.
- With or without cuff.
- 4 ribs.
- Adhesive on the collars or laced.



**AAMI
LEVEL
4**

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	12 - 13 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	12 - 13 Kg



ISOLATION GOWN IG 7620

DESCRIPTION

Personal protective gowns are designed to create a barrier to prevent and minimize infections which may be transmitted through fluid exchange.

Resistant to liquids with its barrier feature. Resistant to moisture and bacterial penetration.

Ultrasonic stitches prevent leakage from these areas.

Puncture, tear and abrasion resistant.

Free from toxic substances.

Lint and dust free.

Ultrasonic stitches prevent leakage from these areas.



**AAMI
LEVEL
3**

Velcro Tape

Velcro tape prevents opening of the collar.

Four Laces

Four-laced belt system insures secure fit.

Ribanned Manshet

Elastic rib insert at cuff maximizes fit and protection.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	10 - 11 Kg

- Carried Standard:

EN ISO 13688:2013

EN 13034:2005+A1:2009

EN 14126:2003

DISPOSABLE SS LAMINATED IGS 7710

PROPERTIES

Disposable

Laminated SS

Personal protective gowns are designed to create a barrier to prevent and minimize infections which may be transmitted through fluid exchange.

Resistant to liquids with its barrier feature.

Resistant to moisture and bacterial penetration.

Ultrasonic stitches prevent leakage from these areas.

Puncture, tear and abrasion resistant.

Free from toxic substances.

Lint and dust free.

Ultrasonic stitches prevent leakage from these areas.



**AAMI
LEVEL
3**

Velcro Tape

Velcro tape prevents opening of the collar.

Four Laces

Four-laced belt system insures secure fit.

Ribanned Manshet

Elastic rib insert at cuff maximizes fit and protection.

- Carried Standard:

EN ISO 13688:2013

EN 13034:2005+A1:2009

EN 14126:2003

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	11 - 12 Kg



COGOWN CG 7590

DESCRIPTION

Moderate risk.
To be used for during
arterial blood draw,
inserting an
Intravenous(IV) line,
in the Emergency Room,
or for trauma cases.

PROPERTIES

- Made of SMS fabric with lamination.
- FDA 510(k) cleared.
- Carried Standard:
- 40 gsm + 20 gsm polyester film.
- Disposable.
- Sterile (upon request, also available as non-sterile).
- Ultrasonic sewing on the sleeves.
- Surgical folding.
- Reinforcement completely up to the shoulders and the front side is completely up to the arms
- Alcohol, blood, and liquid proof.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced.
- Tape lines over the sewings.



**AAMI
LEVEL
4**

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	12 - 13 Kg

CHEMOTHERAPY GOWN KG 7622

PROPERTIES

- Protective, polyethylene-coated material tested against ASTM F1670 & 1671
- Materials and seams tested against top 11 chemotherapy drugs per ASTM F739-12
- Hook and loop neck, waist ties and knit cuffs.
- Taped seams to meet USP 800 guidelines.



**AAMI
LEVEL
4**

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	10 - 11 Kg



WASHABLE GOWN WG 7490

PROPERTIES

- 100 GSM: Produced from 80% Polyester + 20% Cotton.
- Washable.
- Have antibacterial feature.
- Made out of Cotton + Polyester fabric to combat perspiration.
- Hydrophobic.
- Water-repellent.
- Antibacterial properties are ensured by silver ions.
- Latex-free.
- Features anti-static properties.
- Class 1 Medical Protective Equipment.
- Tear-resistant.
- Neck adjustment is provided by hook and loop neck closure.
- Width adjustment is ensured with waist straps.
- Made out of breathable material to combat perspiration.
- Features elastic knit rib in order to increase the protection of the cuffed sleeves.
- Produced on the basis of covering ability, flexibility and lightness.



WASHABLE

REUSABLE GOWN WRG 7600

DESCRIPTION

Low risk.
To be used for during blood draw, suturing, in the Intensive Care Unit (ICU), or a pathology lab.

PROPERTIES

- Made of SMS fabric.
- FDA registered.
- Carried Standard: EN14126:2003 - EN 13795-1:2019
- 40-60 gsm.
- Reusable.
- Non-sterile (upon request, also available as sterile).
- Upon request ultrasonic sewing on the sleeves is available.
- Medical folding.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced.



WASHABLE

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	14 - 15 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	11 - 12 Kg



PERFORMANCE SURGICAL GOWN PSG 7623

These durable reinforced gowns are designed for demanding operating room environments. They offer reliable protection and a soft comfortable feel:

- Protective reinforced sleeves
- Ply-reinforced SMS front
- Breathable SMS fabric on back
- Low linting fabric
- Strong and durable
- 4 ties
- Knitted cuffs
- Adjustable hook and loop closure on neck
- Also available in sterile codes in-single layer packaging with overwrap and huck towels.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	14 - 15 Kg





Smock - Laminated

LAB COAT LC 7665

DESCRIPTION

Low risk.
To be used for during
blood draw, suturing,
in the Intensive.
Care Unit (ICU), or a
pathology lab.

PROPERTIES

- Made of SMS-SMMS fabric.
- FDA registered.
- 40-60 gsm.
- Disposable.
- Non-sterile (upon request, also available as sterile).
- Upon request ultrasonic sewing on the sleeves is available.
- Medical folding.
- With or without cuff.
- 2 or 4 ribs.
- Adhesive on the collars or laced.



SMOCK – LAMINATED SL 7660

DESCRIPTION

It is made of
30 Micron PE material.

Disposable, liquid proof,
prevent contact by
wearing over protective
clothing, long sleeved
and finger-fastened
waist-top apron.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	11 - 12 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	12 - 13 Kg



PE Apron



PE APRON LONG SLEEVE PEA 7800

DESCRIPTION

These gowns provide protection against light liquid spray.

PROPERTIES

- Low-density polyethylene material.
- Effective protection against liquids.
- Adjustable tie fastening at waist.
- Worn over scrubs or gowns for additional protection.
- Cost-effective.
- Carried Standard:
TS EN ISO 20347 - TS EN 14325
TS EN ISO 6529 - TS EN ISO 20344
TS EN 464 - TS EN 14126
TS EN ISO 22610 - TS EN ISO 20344
TS EN ISO 22612 - TS EN ISO 13485



PE APRON WITHOUT SLEEVE MYPEA 7810



WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	60
Box:	40*60*40
Weight:	11 - 12 Kg

POCKET APRON PA 7610

Get information please.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	60
Box:	40*60*40
Weight:	11 - 12 Kg





Protective Clothing Coveralls

BREATHEASY COVERALL BC 7650

DESCRIPTION

Produced with 30 gr/m² Spunbonded fabric provides short period protection from particles.

The hood provides protection by elastic band construction.

Cuffs and ankles come with elastic bands for extra protection.

There is a zipper in the front.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	60
Box:	40*60*40
Weight:	10 - 11 Kg

DISPOSABLE COVERALL FOR KIDS CK 7351

PROPERTIES

Material: Made of high quality 50g non-woven fabric.

Details:

- S for 70-100 cm.
- M for 110-120 cm.
- L for 130-150 cm.

Weight: 100g/pcs.

Be note that.

Useful: The product is dustproof, breathable and anti-bacterial, which is convenient for children to travel and can protect children's health to a certain extent.

Elastic Design: Disposable Coverall adopted with elastic design and front zipper, the coverall is convenient for your kids to wear.

Note: The clothes can't be washed with water(the protective effect will be lost after washing), but can be disinfected by alcohol.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	10 - 11 Kg



PROTECTIVE COVERALL TYPE 3/4 7314

DESCRIPTION

Coveralls are designed for protection against hazardous substances and contamination of both product and personnel. They are typically used for protection against dry particles and low hazardous splashes or sprays.

PROPERTIES

- Made of SMS fabric with lamination.
- FDA registered.
- Carried Standard:
EN ISO 13688:2013 - EN 13034:2005+A1:2009
EN 14126:2003 - EN ISO 13932-1:2004+A1:2010
- 55-57 gsm.
- Disposable.
- Non-sterile (upon request, also available as sterile).
- The zippers are containing stoppers at both ends.
- Zipper contains adhesive tape for full protection.
- Upon request a logo can be attached to the chest area.
- Wrist and foot endings have strong elastics.
- Also strong elastics on the hood.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg



PROTECTIVE COVERALL TYPE 5/6 7315

DESCRIPTION

Moderate risk.
To be used for during arterial blood draw, inserting an Intravenous (IV) line, in the Emergency Room, or for trauma cases.

PROPERTIES

- Made of SMS fabric with lamination.
- FDA registered.
- Carried Standard:
EN 14126:2003 - EN ISO 13982-1:2004+A1:2010 -
EN 13034:2005+A1:2009 - EN ISO 13688:2013
- 55-57 gsm.
- Disposable.
- Non-sterile (upon request, also available as sterile).
- The zippers are containing stoppers at both ends.
- Zipper contains adhesive tape for full protection.
- Upon request a logo can be attached to the chest area.
- Wrist and foot endings have strong elastics.
- Also strong elastics on the hood.
- With button colors.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg



REUSABLE COVERALL WRC 7690

DESCRIPTION

Moderate risk.
To be used for during
arterial blood draw,
inserting an Intravenous
(IV) line, in the Emergency
Room, or for trauma cases.

PROPERTIES

- Made of SMS fabric with lamination.
- FDA registered.
- Carried Standard: EN 14126
- 55-57 gsm.
- Non-sterile (upon request, also available as sterile).
- The zippers are containing stoppers at both ends.
- Zipper contains adhesive tape for full protection.
- Upon request a logo can be attached to the chest area.
- Wrist and foot endings have strong elastics.
- Also strong elastics on the hood.
- With button colors.



WASHABLE

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg

WASHABLE COVERALL WCW 7580

DESCRIPTION

Moderate risk
To be used for during
arterial blood draw,
inserting an Intravenous
(IV) line, in the Emergency
Room, or for trauma cases.

PROPERTIES

- Made of SMS fabric with lamination
- Washable, breathable
- 100 gr m² 30 washing.
- 120 gr m² 50 washing.
- FDA registered.
- Carried Standard: EN 14126
- 55-57 gsm.
- Disposable.
- Non-sterile (upon request, also available as sterile).
- The zippers are containing stoppers at both ends.
- Zipper contains adhesive tape for full protection.
- Upon request a logo can be attached to the chest area.
- Wrist and foot endings have strong elastics.
- Also strong elastics on the hood.
- With button colors.



WASHABLE

WEEKLY PRODUCTION CAPACITY:


Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg




OVERALLS SIZES

SIZE	HEIGHT	CHEST
S	189 cm	56 cm
M	194 cm	60 cm
L	199 cm	64 cm
XL	204 cm	68 cm
2XL	212 cm	72 cm
3XL	221 cm	76 cm



GOWN SIZES

SIZE	A	B	C	D	E	F
S	110	120	56	30	14	17
M	115	125	58	30	16	17
L	120	135	60	30	18	17
XL	125	145	60	30	20	17
2XL	130	155	62	30	22	17
3XL	135	160	64	30	24	17





Scrub Suits

MEDIC SCRUB SC 7410

DESCRIPTION

Surgical gown.
Ergonomic.
Liquid repellent.
Bottom: Elastic waist,
side pockets.
Top: Short sleeve,
3 pockets, V-neck.

PROPERTIES

- Made of SMS fabric.
- FDA registered.
- EN ISO 13688:2013 - EN 14126:2003
EN 13034:2005+A1:2009 - EN 13795-1:2019
- 40 gsm.
- Disposable.
- Non-sterile (upon request, also available as sterile).
- Upon request a logo can be attached to the chest area.
- Short or long sleeves versions are available.



MEDIC SCRUB LAMINATED SCL 7411

DESCRIPTION

Personal protective gowns are designed to create a barrier to prevent and minimize infections which may be transmitted through fluid exchange. Resistant to liquids with its barrier feature. Resistant to moisture and bacterial penetration. Ultrasonic stitches prevent leakage from these areas. Puncture, tear and abrasion resistant. Free from toxic substances. Lint and dust free. Ultrasonic stitches prevent leakage from these areas. Velcro Tape. Velcro tape prevents opening of the collar. Four Laces. Four-laced belt system insures secure fit. Ribanned Manshet. Elastic rib insert at cuff maximizes fit and protection.



PROPERTIES

- Made of SMS fabric with laminated
- FDA registered
- EN 14126:2003
- 40 gsm
- Non-sterile (upon request, also available as sterile)
- Upon request a logo can be attached to the chest area.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg



MEDIC SCRUB SC 7412

DESCRIPTION

Medic Scrub is designed to be used in low-risk low concentration contaminated areas to prevent particulate transfer hazards.

PROPERTIES

- Lightweight multi-layer SMS fabric.
- Breathable and comfortable.
- Long Sleeve.
- Knitted cuffs or elastic band.
- Hook and loop or sticky tab on neck.
- Full back for complete protection.
- Single-use.
- Latex and silicon free.
- Color: Blue & Yellow & White.



DISPOSABLE PANTS LAMINATED DPL 7413

DESCRIPTION

- Lightweight multi-layer SMS - LAMINATED fabric.
- Breathable and comfortable.
- Short Sleeve.
- Knitted cuffs or elastic band
- Hook and loop or sticky tab on neck.
- Full back for complete protection.
- Single-use.
- Latex and silicon free.
- Color: Blue & Yellow & White.



PROPERTIES

- Lightweight multi-layer SMS fabric.
- Breathable and comfortable.
- Long Sleeve.
- Knitted cuffs or elastic band.
- Hook and loop or sticky tab on neck.
- Full back for complete protection.
- Single-use.
- Latex and silicon free.
- Color: Blue & Yellow & White.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	12 - 13 Kg



WASHABLE UNIFORM WU 7460

PROPERTIES

- 100 GSM: Produced from 80% Polyester + 20% Cotton.
- Washable.
- Have antibacterial feature.
- Made out of Cotton + Polyester fabric to combat perspiration.
- Hydrophobic.
- Water-repellent.
- Antibacterial properties are ensured by silver ions.
- Latex-free.
- Features anti-static properties.
- Class 1 Medical Protective Equipment.
- Tear-resistant.
- Neck adjustment is provided by hook and loop neck closure.
- Width adjustment is ensured with waist straps.
- Made out of breathable material to combat perspiration.
- Features elastic knit rib in order to increase the protection of the cuffed sleeves.
- Produced on the basis of covering ability, flexibility and lightness.



WASHABLE

HOSPITAL UNIFORM DU 7640

DESCRIPTION

Manufactured from durable, breathable and washable material.

Optimal opacity and softness.

Designed for healthcare professionals.

Suitable for autoclave washing above 85°C.

2 pockets on top,
1 inner and 1 outer pocket.

2 pockets on trousers,
1 inner and 1 outer pocket.



WASHABLE

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	80
Box:	40*60*40
Weight:	14 - 15 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	40
Box:	40*60*40
Weight:	11 - 12 Kg





Face Masks

FACE MASK PREMIUM PM 7300

PROPERTIES

- Filtering efficiency 99%.
- FDA registered.
- Carried Standard:
TS EN ISO / IEC 17025:2017
TS EN ISO 14683 + AC:2019
EN ISO 10993 - 5
EN ISO 10993 - 10
- Protective Standard: Type II
- Three-layers of antibacterial non-woven fabric.
- Anti-bacterium & anti-virus protection.
- Metal nose clip, perfect fit.
- Elastic ear straps, comfortable to wear.
- Structure: 3-layer material, middle-layer meltblown.
- 25 gsm meltblown layer.
- 25 gsm spunbond layer.
- Inspiratory resistance <150Pa.
- Expiratory resistance <120Pa.
- Color: Blue or White.
- Expiring Date: 5 years.



Type II

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5 000 000 PCS

In Pack:	50/1-10/1
Box:	40*60*40

FACE MASK PREMIUM PLUS PPM 7310

PROPERTIES

- Filtering efficiency 99%.
- FDA registered.
- Carried Standard:
TS EN ISO / IEC 17025:2017
TS EN ISO 14683 + AC:2019
EN ISO 10993 - 5
EN ISO 10993 - 10
- Protective Standard: Type II
- Three-layers of antibacterial non-woven fabric.
- Anti-bacterium & anti-virus protection.
- Metal nose clip, perfect fit.
- Elastic ear straps, comfortable to wear.
- Structure: 3-layer material, middle-layer meltblown.
- 25 gsm meltblown layer.
- 25 gsm spunbond layer.
- Inspiratory resistance <150Pa.
- Expiratory resistance <120Pa.
- Color: Blue or White.
- Expiring Date: 5 years.



Type II

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5 000 000 PCS

In Pack:	50/1-10/1
Box:	40*60*40



3 PLY MELTBLOWN FACE MASK TYPE II MM 7320

PROPERTIES

- 75 g. Meltblown face mask.
- Bacterial filtration 96%.
- 20 g Spunbond.
- 25 g Meltblown.
- 30 g Spunbond.
- High bacterial filtration efficiency.
- Thanks to the special filter in the middle ply, it has an anti-bacteria feature.
- Water-repellent.
- Fiberglass free.
- 3-ply.
- Fully Ultrasonic welded, produced in a hygienic environment automatically without human touch.
- Features anti-static properties.
- Class 1 Medical Protective Equipment.
- Tear-resistant.
- Thanks to its special flexible rubber, it minimizes the wear on the ears.
- Breathable, easy to breathe when wearing.
- Fits face perfectly by being flexible and soft.
- Thanks to its polypropylene (PP) coated nose wire, it does not harm, offers comfortable breathing.



Type II

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5 000 000 PCS

In Pack:	50/1-10/1
Box:	40*60*40

3 PLY MELTBLOWN FACE MASK TYPE II R MR 7330

PROPERTIES

- 75 g Meltblown face mask.
- Bacterial filtration 96%
- 20 g Spunbond.
- 25 g Meltblown.
- 30 g Spunbond.
- High bacterial filtration efficiency.
- Thanks to the special filter in the middle ply, it has an anti-bacteria feature.
- Water-repellent.
- Fiberglass free.
- 3-ply.
- Fully Ultrasonic welded, produced in a hygienic environment automatically without human touch.
- Features anti-static properties.
- Class 1 Medical Protective Equipment.
- Tear-resistant.
- Thanks to its special flexible rubber, it minimizes the wear on the ears.
- Breathable, easy to breathe when wearing.
- Fits face perfectly by being flexible and soft.
- Thanks to its polypropylene (PP) coated nose wire, it does not harm, offers comfortable breathing.



Type II R

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5 000 000 PCS

In Pack:	50/1-10/1
Box:	40*60*40



FACE MASK PREMIUM LACE UP LM 7360

PROPERTIES

- Filtering efficiency 99%.
- FDA registered.
- Carried Standard:
TS EN ISO / IEC 17025:2017
TS EN ISO 14683 + AC:2019
EN ISO 10993 - 5
EN ISO 10993 - 10
- Protective Standard: Type II R.
- Three-layers of antibacterial non-woven fabric.
- Anti-bacterium & anti-virus protection.
- Metal nose clip, perfect fit.
- Lace-up type with out elastics, comfortable to wear.
- Structure: 3-layer material, middle-layer meltblown.
- 25 gsm meltblown layer.
- 25 gsm spunbond layer.
- Inspiratory resistance <150Pa.
- Expiratory resistance <120Pa.
- Color: Blue or White.
- Expiring Date: 5 years.



Type II R

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5 000 000 PCS

In Pack:	50/1
Box:	40*60*40

FFP2 - FFP3 FACE MASK MN 7670

PROPERTIES

- N95 standard, Filtering efficiency 95%.
- FDA registered.
- Carried Standard: EN149
- Protective Standard: FFP2/FFP3
- Double-layer antibacterial melt-blown cloth + environmental non-woven fabric.
- Anti-bacterium & anti-virus protection.
- Metal nose clip, perfect fit.
- Elastic ear straps, comfortable to wear.
- Structure: 4-layer material, double-layer meltblown.
- Inspiratory resistance <150Pa.
- Expiratory resistance <120Pa.
- Color: White.
- Expiring Date: 2 year.



FFP2



FFP3

WEEKLY PRODUCTION CAPACITY:

Packing Details: 1 000 000 PCS

In Pack:	50/1
Box:	40*60*40



KIDS MASK PREMIUM KM 7350



Type II R

PROPERTIES

- Filtering efficiency 99%.
- FDA registered.
- Carried Standard:
TS EN ISO / IEC 17025:2017
TS EN ISO 14683 + AC:2019
EN ISO 10993 - 5
EN ISO 10993 - 10
- Protective Standard: Type II R.
- Three-layers of antibacterial non-woven fabric.
- Anti-bacterial & anti-virus protection.
- Metal nose clip, perfect fit.
- Elastic ear straps, comfortable to wear.
- Structure: 3-layer material, middle-layer meltblown.
- 25 gsm meltblown layer.
- 25 gsm spunbond layer.
- Inspiratory resistance <150Pa.
- Expiratory resistance <120Pa.
- Color: Different colors and patterns.
- Expiring Date: 5 years.



Type II R

WEEKLY PRODUCTION CAPACITY:

Packing Details: 3500 000 PCS

In Pack:	50/1-10/1
Box:	40*60*40



SINGLE PLY WASHABLE FACE MASK WM 7470

PROPERTIES

- 115 GSM: Produced from 100% Cotton.
- High bacterial filtration efficiency.
- Washable.
- Have antibacterial feature.
- Antiperspirant.
- Antibacterial properties are ensured by silver ions.
- Produced as a single ply.
- Manufactured in hygienic environment.
- Class 1 Medical Protective Equipment.
- Tear-resistant.
- Thanks to its special flexible rubber, it minimizes the wear on the ears.
- Breathable, easy to breathe when wearing.
- Fits face perfectly by being flexible and soft.
- Latex-free.



WASHABLE

DOUBLE PLY WASHABLE FACE MASK DWM 7475

PROPERTIES

- 230 GSM: Produced from 100% Cotton
- High bacterial filtration efficiency
- Washable
- Have antibacterial feature
- Antiperspirant
- Antibacterial properties are ensured by silver ions
- Produced as a double ply.
- Manufactured in hygienic environment
- Class 1 Medical Protective Equipment
- Tear-resistant
- Thanks to its special flexible rubber, it minimizes the wear on the ears
- Breathable, easy to breathe when wearing
- Fits face perfectly by being flexible and soft
- Latex-free



WASHABLE

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5000 000 PCS

In Pack:	50/1
Box:	40*60*40

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5000 000 PCS

In Pack:	50/1
Box:	40*60*40



FFP2 NR KIDS FACE MASK KFM 7671

PROPERTIES

- Non woven fabric
- Without valve
- Sizes suitable for children's face
- Various color options
- 5 layers of filtration (meltblown + 3 layers of spunbond)
- Nose clip
- Elastic, comfortable ear cup



NANO FACE MASK NFM 7671

PROPERTIES

Nano-technological washable mask made of Scuba fabric. With its elastic and flexible design, it fits your face perfectly. It has a breathable structure with high technology foam nano filter.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 5000 000 PCS

In Pack:	50/1
Box:	40*60*40

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5000 000 PCS

In Pack:	50/1
Box:	40*60*40





Headwear

DISPOSABLE BONNET DB 7430

PROPERTIES

- Material:
16 gsm nonwoven.
- FDA registered
- Carried Standard:
TS EN ISO 20347
TS EN 14325
TS EN ISO 6529
TS EN ISO 20344
TS EN 464
TS EN 14126
TS EN ISO 22610
TS EN ISO 20344
TS EN ISO 22612
TS EN ISO 13485
- Size: 52 cm
- Double ultrasonic sewing.



PROTECTIVE HOOD WITHOUT LAMINATED PHL 7701

PROPERTIES

- Without Laminated.
- Carried Standard:
EN ISO 13688:2013
EN 13034:2005+A1:2009
EN 14126:2003
EN 13795-1:2019



PROTECTIVE HOOD LAMINATED PH 7700

PROPERTIES

- With Laminated.
- Carried Standard:
EN 14126:2003
EN ISO 13982-1:2004+A1:2010
EN 13034:2005+A1:2009
EN ISO 13688:2013



WEEKLY PRODUCTION CAPACITY:

Packing Details: 2 000 000 PCS

In Pack:	50
Box:	40*60*40
Weight:	16 - 17 Kg

WEEKLY PRODUCTION CAPACITY:

Packing Details: 2 000 000 PCS

In Pack:	
Box:	40*60*40
Weight:	



WASHABLE CAP WC 7480



WASHABLE

PROPERTIES

- 100 GSM: Produced from 80% Polyester + 20% Cotton
- Washable.
- Have antibacterial feature.
- Made out of cotton + polyester fabric to combat perspiration.
- Hydrophobic.
- Water-repellent.
- Antibacterial properties are ensured by silver ions.
- Latex-free.
- Features anti-static properties.
- Class 1 Medical Protective Equipment.
- Tear-resistant.
- Neck adjustment is provided by hook and loop neck closure.
- Width adjustment is ensured with waist straps.
- Made out of breathable material to combat perspiration
- Features elastic knit rib in order to increase the protection of the cuffed sleeves.
- Produced on the basis of covering ability, flexibility and lightness.
- Adjustable.

WEEKLY PRODUCTION CAPACITY:

Packing Details: 750 000 PCS

In Pack:	500
Box:	40*60*40
Weight:	14 - 15 Kg





Sleeve Covers



PROTECTIVE OVERSLEEVE POS 7550

DESCRIPTION

Taped Overshoes for extra protection.
The aim is to limit the transmission of infectious agents. They have a non-slip sole, are laced, and come with elastic band on the top part for extra protection.
Ergonomic construction insures better fit



PROPERTIES

- Our protective oversleeve provides extra protection when used with our coveralls or gowns.
- Ergonomic construction covering the elbow.
- Elastic band at both ends ensure maximum barrier against fluids.
- Elastic band worn around the thumb ensures perfect fit.

WEEKLY PRODUCTION CAPACITY:

Packing Details:

In Pack:	
Box:	40*60*40

PROTECTIVE OVERSLEEVE SEAMLESS POSS 7560

DESCRIPTION

Personal Protective Equipment aiming to give extra security to block the transmission of infectious agents.
It is fixed to the wrist with a brace. Provided with soft elastic on wrist and elbow areas.
Liquid proof and ergonomic.
Ultrasonic Stitches.



PROPERTIES

- Our protective oversleeve provides extra protection when used with our coveralls or gowns.
- Ergonomic construction covering the elbow.
- Elastic band at both ends ensure maximum barrier against fluids.
- Elastic band worn around the thumb ensures perfect fit.

WEEKLY PRODUCTION CAPACITY:

Packing Details:

In Pack:	
Box:	40*60*40





Footwear



DISPOSABLE OVERSHOE NONWOWEN SO 7440

DESCRIPTION

Material:
25 gsm SS nonwoven.
FDA registered.
Size: 38 cm.
- Carried Standard:
TS EN ISO 20347
TS EN 14325
TS EN ISO 6529
TS EN ISO 20344
TS EN 464 - TS EN 14126 - TS EN ISO 22610
TS EN ISO 20344 - TS EN ISO 22612 - TS EN ISO 13485



DISPOSABLE OVERSHOE PE SO 7680

PROPERTIES

Material:
HDPE.
FDA registered.
Size: 30 mic.
- Carried Standard: TS EN ISO 20347
TS EN 14325 - TS EN ISO 6529
TS EN ISO 20344 - TS EN 464
TS EN 14126 - TS EN ISO 22610
TS EN ISO 20344
TS EN ISO 22612
TS EN ISO 13485



WEEKLY PRODUCTION CAPACITY:

Packing Details: 5 000 000 PCS

In Pack:	50
Box:	40*60*40

COVERSHOE TAPED - LONG CTL 7434

DESCRIPTION

Material:
PP+PE
FDA registered
- Carried Standard:
EN 14605:2005+A1:2009
EN 14126:2003
EN ISO 13688:2013
57 gsm
Sole: 250 gsm



DISPOSABLE COVERSHOE LONG CL 7456

PROPERTIES

Material: PP+PE
FDA registered
57 gsm
Sole: 250 gsm
- Carried Standard:
EN 14126:2003
EN ISO 13982:-1:2004+A1:2010
EN 13034:2005+A1:2009
EN ISO 13688:2013




WEEKLY PRODUCTION CAPACITY:

Packing Details: 5000 000 PCS

In Pack:	250 pcs
Box:	40*60*40
Weight:	20 Kg





Disposable Bed Sheets



DISPOSABLE SINGLE BED SHEET 7500

PROPERTIES

- Portable-Practic-Private-Hygienic.
- Personel use disposable bed sheet.
- Zero bacteria risk.



DISPOSABLE PILLOW COVER 7520

PROPERTIES

- Portable-Practic-Private-Hygienic.
- Personel use disposable bed sheet.
- Zero bacteria risk.



DISPOSABLE PATIENT STRETCHER 7510

PROPERTIES

- Portable-Practic-Private-Hygienic.
- Personel use disposable bed sheet.
- Zero bacteria risk.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 500 000 PCS

In Pack:	
Box:	40*60*40

WEEKLY PRODUCTION CAPACITY:

Packing Details: 5000 000 PCS

In Pack:	
Box:	40*60*40



DISPOSABLE TOWEL 7540

PROPERTIES

- Personnel use disposable towels.
- Standard towels absorb 3 times more than cotton towels.
- Extra thick towels absorb 5 times more.



Hand Towel



Bath Towel



Head Towel

WEEKLY PRODUCTION CAPACITY:

Packing Details: 500 000 PCS

In Pack:	
Box:	40*60*40

DISPOSABLE SINGLE DUVET COVER 7530

PROPERTIES

- Portable-Practic-Private-Hygienic.
- Personnel use disposable bed sheet.
- Zero bacteria risk.



WEEKLY PRODUCTION CAPACITY:

Packing Details: 5000 000 PCS

In Pack:	
Box:	40*60*40



Disposable Gloves



DISPOSABLE GLOVES GLV 7450



**Transparent
Gloves**

PROPERTIES

- Made of polyethylene raw material.
- Does not cause allergy since it does not contain latex and powder.
- Gloves are developed for both hands.
- Suitable for use in cleaning works, hairdressing services and food industry.
- Transparent color.



Latex Gloves

PROPERTIES

- Latex gloves, which are extremely resistant to puncture and tear, provide effective protection.
- Latex gloves, which offer the ability to wear longer, have also reduced the problem of continuous replacement.
- The ability to grasp small materials and objects is very high for people working in the medical field.

WEEKLY PRODUCTION CAPACITY:

Packing Details:

In Pack:	
Box:	40*60*40
Weight:	



Nitrile Gloves

PROPERTIES

- It is resistant to abrasion and tear.
- Thanks to the nitrile coating, it shows resistance against oil and grease.
- Thanks to its special mold, it fits perfectly in the hand.



HYPODERMIC SYRINGE 5 ml



PROPERTIES

- Green colored stopper provides a greater contrast with scale markings
- Designed and manufactured to reduce environmental impact
- Up to 20% less material than BD Plastipak™ syringes to reduce raw material consumption
- Clinical waste weight is reduced by 20%
- Plant utilizes 100% of electricity from renewable sources.

WEEKLY PRODUCTION CAPACITY:

Packing Details:

In Pack:

Box:

40*60*40

Weight:





Face Shield

**FACE SHEILD
FS 7630****DESCRIPTION**

- It protects the face from possible droplets, liquid microbes, infections and small objects. Suitable for all users.
- It can be used repeatedly by disinfecting with cologne / alcohol.

**WEEKLY PRODUCTION CAPACITY:****Packing Details:**

In Pack:

Box:

40*60*40

Weight:





Antigen Test

ANTIGEN TEST



DESCRIPTION

Although the PCR test is performed on people with symptoms, it can also be applied on people who do not have symptoms. Depending on the patient's condition, samples are taken from the upper (nose) or lower (throat) airways. It should usually be performed in large hospitals or well-equipped PCR laboratories.

Also, tests performed in this way can take several hours or days to produce results, which weakens rapid clinical responses. To overcome this, he developed a test that, using a portable lateral flow reader, could produce fast, reproducible and high-precision results without the need for highly trained personnel and complexity. As a result, we are opening up the possibility to refer patients to quarantine earlier for better clinical decision making and reducing the spread of disease.

The COVID-19 antigen test kit continues to work hard to optimize function, further improve viral particle lower bound detection and provide accurate results for targeted populations and environments.

PROPERTIES

- With the help of a cotton swab, a sample is taken from the upper or lower respiratory tract.
- The sample is mixed for 30 seconds in the plastic bottle containing the solution.
- The cotton swab is broken at the marked place and the cap of the bottle is closed
- Drop 3 drops of our test kit into the slot marked S and wait for 15 minutes.
- Results after 30 Minutes are Invalid.





Emergency Blanket

DISPOSABLE EMERGENCY BLANKET (HYPOTHERMIC BLANKET) 7545**DESCRIPTION**

Rescue blanket consisting of two layers firmly bonded together. A 12 µm thin, tear-resistant, transparent and waterproof polyester film (PET) and an extremely thin, slightly transparent (1%) aluminum layer.





MHY ALM TEKSTİL DIŞ TİC. LTD. ŞTİ.

Contact Us

Head Office :	Oruçreis Mh. Tekstilkent Cd. Koza Plaza A Blok No:12B/033 Esenler,İSTANBUL.
Factory :	Kahta OSB Mevkii 9. Cadde No:2 Salkımbağı Köyü - Kahta - ADIYAMAN - Türkiye
Phone :	+90 532 678 5295
<u>Europe Office :</u>	De Weven 2 3583 Beringen BELGIE BTW: BE 0881 097 520
Phone :	+32 477 99 16 62
E-Mail :	info@almmedical.com.tr

